

FLOOR STANDING CABINET




The Easycab range of floor standing cabinets designed for communication rooms and data centers. The smart design and professional engineering provides easy installation and maintenance. Comply with ANSI/EIA RS-310-D, IEC 297-2, DIN 41491, PART 1, DIN 41497, PART 7, GB/T3047.2- 92, ETSI standards.

FEATURES

- Intelligent design ensures easy installation
- Cable entry through bottom and top panel
- Removable side panel provides easy maintenance
- 180 degree turning angle for front door
- Toughened glass door
- 19" installation
- Adjustable feet and heavy duty castors
- Plinth (optional)


Material	SPCC cold rolled steel
Deg. of Protection	IP20
Surface finish	Degreasing, phosphoric, powder coated
Loading capacity	800 KGS
Material thickness	Mounting profile: 2.0 mm, Angel: 1.5 mm, Other: 1.2 mm



STRUCTURE

- | | | |
|--------------------------------|----------------------------------|----------------|
| 1. Top cover | 6. High-density vented rear door | 10. Frame |
| 2. Fan unit | 7. Steel door without hole | 11. Side panel |
| 3. Mounting profile | 8. Bottom panel | 12. Front door |
| 4. Mounting angle | 9. 2" heavy duty castor | 13. Front door |
| 5. Rear door with square holes | | 14. Front door |

FLOOR STANDING CABINET




Front Glass




Front Perforated




Front Metal



Front Metal Divided

Front Perf.
Divided


Back Metal



Back Perforated



Back Metal Divided



Back Perforated Divided

ACCESSORIES

Accessories	Material Of Construction	Surface Coating & Colour	Quantity
Top cover	1.2 mm SPCC cold rolled steel	Powder coating	1 piece
Spring Lock with 2 keys	-	Black	1 piece
Mounting Angle, 4 Pcs for lower 32U	1.5 mm SPCC cold rolled steel	Powder coating	6 piece
Front door, round vented border	1.2 mm SPCC cold rolled steel	Powder coating	1 piece
2" heavy duty castors	-	-	4 piece
Mounting Profile	2.0 mm SPCC cold rolled steel	Powder coating	4 piece
Small round Lock with 2 keys		Nickel coating	1 piece
Frame	1.2 mm SPCC cold rolled steel	Powder coating	2 piece
M6 Square nut, 40 sets for upper 32U	steel	Zinc Colour	20 piece
M6 B head screw, 40 sets for upper 32U	steel	Zinc Colour	20 piece
Side Panel	1.2 mm SPCC cold rolled steel	Powder coating	2 piece
Square hole rear door, square vent	1.2 mm SPCC cold rolled steel	Powder coating	1 piece
Bottom panel	1.2 mm SPCC cold rolled steel	Powder coating	1 piece
Allen wrench	steel	Black Colour	1 piece
M12 adjustable feet	-	-	4 piece

FLOOR STANDING CABINET

ORDERING INFORMATION

Part Number	Description	Capacity (U)	Dimension(mm)
600 x 600 Size			
1323-186613X	18U 600 x 600 Front Glass/Back Perf Door	18	600 x 600 x 988
1323-226613X	22U 600 x 600 Front Glass/Back Perf Door	22	600 x 600 x 1166
1323-276613X	27U 600 x 600 Front Glass/Back Perf Door	27	600 x 600 x 1388
1323-326613X	32U 600 x 600 Front Glass/Back Perf Door	32	600 x 600 x 1610
1323-376613X	37U 600 x 600 Front Glass/Back Perf Door	37	600 x 600 x 1833
1323-426613X	42U 600 x 600 Front Glass/Back Perf Door	42	600 x 600 x 2055
1323-476613X	47U 600 x 600 Front Glass/Back Perf Door	47	600 x 600 x 2277
600 x 800 Size			
1323-186813X	18U 600 x 800 Front Glass/Back Perf Door	18	600 x 800 x 988
1323-226813X	22U 600 x 800 Front Glass/Back Perf Door	22	600 x 800 x 1166
1323-276813X	27U 600 x 800 Front Glass/Back Perf Door	27	600 x 800 x 1388
1323-326813X	32U 600 x 800 Front Glass/Back Perf Door	32	600 x 800 x 1610
1323-376813X	37U 600 x 800 Front Glass/Back Perf Door	37	600 x 800 x 1833
1323-426813X	42U 600 x 800 Front Glass/Back Perf Door	42	600 x 800 x 2055
1323-476813X	47U 600 x 800 Front Glass/Back Perf Door	47	600 x 800 x 2277
600 x 1000 Size			
1323-186113X	18U 600 x 1000 Front Glass/Back Perf Door	18	600 x 1000 x 988
1323-226113X	22U 600 x 1000 Front Glass/Back Perf Door	22	600 x 1000 x 1166
1323-276113X	27U 600 x 1000 Front Glass/Back Perf Door	27	600 x 1000 x 1388
1323-326113X	32U 600 x 1000 Front Glass/Back Perf Door	32	600 x 1000 x 1610
1323-376113X	37U 600 x 1000 Front Glass/Back Perf Door	37	600 x 1000 x 1833
1323-426113X	42U 600 x 1000 Front Glass/Back Perf Door	42	600 x 1000 x 2055
1323-476113X	47U 600 x 1000 Front Glass/Back Perf Door	47	600 x 1000 x 2277

FLOOR STANDING CABINET

ORDERING INFORMATION

Part Number	Description	Capacity (U)	Dimension(mm)
800 x 800 Size			
1323-128813X	12U 800 x 800 Front Glass/Back Perf Door	12	800 x 800 x 600
1323-188813X	18U 800 x 800 Front Glass/Back Perf Door	18	800 x 800 x 988
1323-228813X	22U 800 x 800 Front Glass/Back Perf Door	22	800 x 800 x 1166
1323-278813X	27U 800 x 800 Front Glass/Back Perf Door	27	800 x 800 x 1388
1323-328813X	32U 800 x 800 Front Glass/Back Perf Door	32	800 x 800 x 1610
1323-378813X	37U 800 x 800 Front Glass/Back Perf Door	37	800 x 800 x 1833
1323-428813X	42U 800 x 800 Front Glass/Back Perf Door	42	800 x 800 x 2055
1323-478813X	47U 800 x 800 Front Glass/Back Perf Door	47	800 x 800 x 2277
800 x 1000 Size			
1323-188113X	18U 800 x 1000 Front Glass/Back Perf Door	18	800 x 1000 x 988
1323-228113X	22U 800 x 1000 Front Glass/Back Perf Door	22	800 x 1000 x 1166
1323-278113X	27U 800 x 1000 Front Glass/Back Perf Door	27	800 x 1000 x 1388
1323-328113X	32U 800 x 1000 Front Glass/Back Perf Door	32	800 x 1000 x 1610
1323-378113X	37U 800 x 1000 Front Glass/Back Perf Door	37	800 x 1000 x 1833
1323-428113X	42U 800 x 1000 Front Glass/Back Perf Door	42	800 x 1000 x 2055
1323-478113X	47U 800 x 1000 Front Glass/Back Perf Door	47	800 x 1000 x 2277
800 x 1200 Size			
1323-188B13X	18U 800 x 1200 Front Glass/Back Perf Door	18	800 x 1200 x 988
1323-228B13X	22U 800 x 1200 Front Glass/Back Perf Door	22	800 x 1200 x 1166
1323-278B13X	27U 800 x 1200 Front Glass/Back Perf Door	27	800 x 1200 x 1388
1323-328B13X	32U 800 x 1200 Front Glass/Back Perf Door	32	800 x 1200 x 1610
1323-378B13X	37U 800 x 1200 Front Glass/Back Perf Door	37	800 x 1200 x 1833
1323-428B13X	42U 800 x 1200 Front Glass/Back Perf Door	42	800 x 1200 x 2055
1323-478B13X	47U 800 x 1200 Front Glass/Back Perf Door	47	800 x 1200 x 2277

X: R1(RAL 9004), R2(RAL 7035), R3(RAL 9010)

PACKING INFORMATION

Packing Mode	Individual Item Sequential Flat Packing	
Packing Item	18U – 37U	42U – 47U
Top and Bottom Cover	1 x Flat Packing	1 x Flat Packing
Front and Back Door	1 x Flat Packing	1 x Flat Packing
Side Door x 2		1 x Flat Packing
Main Frame and Mounting Angle	1 x Flat Packing	1 x Flat Packing
Total Number of Flat Packing	3 x Flat Packing	4 x Flat Packing
Note: *Net Weight = Net Weight of total number of flat packing. *Gross Weight = Gross Weight of total number of flat packing. *Gross Volume = Gross Volume of total number of flat packing.		

FLOOR STANDING CABINET

PACKING INFORMATION

Part Number	Packing Qty.	Packing Mode	N.W (kg)	G.W (kg)	Gross Volume* [CBM]
600 x 600 Size					
1323-186613X	3 x Flat Packing	Carton Box	54.0	60.8	0.251
1323-226613X	3 x Flat Packing	Carton Box	67.0	73.5	0.319
1323-276613X	3 x Flat Packing	Carton Box	73.0	80.0	0.366
1323-326613X	3 x Flat Packing	Carton Box	80.0	86.8	0.419
1323-376613X	4 x Flat Packing	Carton Box	87.0	96.0	0.468
1323-426613X	4 x Flat Packing	Carton Box	83.0	91.8	0.538
1323-476613X	4 x Flat Packing	Carton Box	91.0	102.0	0.587
600 x 800 Size					
1323-186813X	3 x Flat Packing	Carton Box	57.0	62.8	0.269
1323-226813X	3 x Flat Packing	Carton Box	70.0	75.5	0.330
1323-276813X	3 x Flat Packing	Carton Box	76.0	82.0	0.385
1323-326813X	3 x Flat Packing	Carton Box	83.0	88.8	0.437
1323-376813X	4 x Flat Packing	Carton Box	90.0	98.0	0.486
1323-426813X	4 x Flat Packing	Carton Box	92.0	100.0	0.587
1323-476813X	4 x Flat Packing	Carton Box	100.0	110.0	0.640
600 x 1000 Size					
1323-186113X	3 x Flat Packing	Carton Box	61.0	69.8	0.288
1323-226113X	3 x Flat Packing	Carton Box	74.0	82.5	0.349
1323-276113X	3 x Flat Packing	Carton Box	80.0	89.0	0.404
1323-326113X	3 x Flat Packing	Carton Box	87.0	95.8	0.456
1323-376113X	4 x Flat Packing	Carton Box	94.0	105.0	0.505
1323-426113X	4 x Flat Packing	Carton Box	104.5	116.2	0.637
1323-476113X	4 x Flat Packing	Carton Box	112.5	126.5	0.692

FLOOR STANDING CABINET

PACKING INFORMATION

Part Number	Packing Qty.	Packing Mode	N.W (kg)	G.W (kg)	Gross Volume* [CBM]
800 x 800 Size					
1323-128813X	3 x Flat Packing	Carton Box	45.0	48.5	0.150
1323-188813X	3 x Flat Packing	Carton Box	82.0	88.5	0.376
1323-228813X	3 x Flat Packing	Carton Box	98.0	104.9	0.446
1323-278813X	3 x Flat Packing	Carton Box	105.0	112.1	0.509
1323-328813X	3 x Flat Packing	Carton Box	105.0	111.3	0.578
1323-378813X	4 x Flat Packing	Carton Box	114.0	124.5	0.642
1323-428813X	4 x Flat Packing	Carton Box	112.0	120.5	0.715
1323-478813X	4 x Flat Packing	Carton Box	120.0	128.5	0.816
800 x 1000 Size					
1323-188113X	3 x Flat Packing	Carton Box	86.0	93.0	0.401
1323-228113X	3 x Flat Packing	Carton Box	102.0	109.4	0.471
1323-278113X	3 x Flat Packing	Carton Box	109.0	116.6	0.534
1323-328113X	3 x Flat Packing	Carton Box	109.0	115.8	0.602
1323-378113X	4 x Flat Packing	Carton Box	118.0	129.0	0.667
1323-428113X	4 x Flat Packing	Carton Box	132.5	143.2	0.805
1323-478113X	4 x Flat Packing	Carton Box	134.0	146.0	0.874
800 x 1200 Size					
1323-188B13X	3 x Flat Packing	Carton Box	91.0	98.0	0.425
1323-228B13X	3 x Flat Packing	Carton Box	107.0	114.4	0.496
1323-278B13X	3 x Flat Packing	Carton Box	114.0	121.6	0.558
1323-328B13X	3 x Flat Packing	Carton Box	114.0	120.8	0.627
1323-378B13X	4 x Flat Packing	Carton Box	123.0	134.0	0.692
1323-428B13X	4 x Flat Packing	Carton Box	141.0	152.0	0.860
1323-478B13X	4 x Flat Packing	Carton Box	143.0	155.0	0.933