

# Rittal – The System.

Faster – better – everywhere.

## ► Comfort handle for TS, TS IT, SE, PC, IW – TS 8611.070

Date : Mar 19, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Comfort handle for TS, TS IT, SE, PC, IW – TS 8611.070

created: 19.03.2018 build on www.rittal.com/us-en



## Product description

<b>Version:</b>	For semi-cylinder
<b>Description:</b>	As the handle does not take up any of the swivel range due to the folding technology, the door surface can be used for equipment in the optimal manner.
<b>Material:</b>	Die-cast zinc
<b>Surface finish:</b>	Powder-coated
<b>Color:</b>	RAL 7035
<b>Mounting tip:</b>	The handle adapter is required when fitting to TS glazed door, PC lower door, IW designer door

## Product features

<b>Version:</b>	Note: Prepared for the installation of semi-cylinders with a total length of 40 or 45 mm (to DIN 18 252)
<b>Suitable for:</b>	Enclosure type: EL 3-part 18 - 21 U Enclosure type: TS Enclosure type: TS IT Enclosure type: SE Enclosure type: PC enclosure door Enclosure type: IW Enclosure type: TS 8 stainless steel Enclosure type: SE stainless steel
<b>Packaging unit:</b>	1 pc(s).

<b>Weight/packaging unit:</b>	0.8 kg (1.8 lb.)
<b>EAN:</b>	4028177211926
<b>Customs tariff number:</b>	83024110
<b>ETIM 6.0:</b>	EC000327
<b>ETIM 5.0:</b>	EC000327
<b>eCl@ss 8.0/8.1:</b>	27409217
<b>eCl@ss 7.0/7.1:</b>	27409217
<b>eCl@ss 6.0/6.1:</b>	27409217
<b>eCl@ss 5.1/5.1.4:</b>	27189220
<b>Product description (long):</b>	TS Comfort handle, for TS, TS IT, SE, PC, IW, for semi-cylinder, RAL 7035
<b>Approvals</b>	
<b>Certificates:</b>	EAC